

Contents

Special issue section: COVID-19 and diabetes in primary care

- Importance of hyperglycemia in COVID-19 intensive-care patients: Mechanism and treatment strategy 409
 F. Mirzaei, I. Khodadadi, S.A. Vafaei, E. Abbasi-Oshaghi, H. Tayebinia and F. Farahani
- Effect of remote management on comprehensive management of diabetes mellitus during the COVID-19 epidemic 417
 J. Kang, Y. Chen, Y. Zhao and C. Zhang
- Impact of lockdown COVID-19 on metabolic control in type 2 diabetes mellitus and healthy people 424
 S. Karatas, T. Yesim and S. Beysel

Original research

- Effectiveness of intervention program on the change of glycaemic control in diabetes with depression patients: A meta-analysis of randomized controlled studies 428
 X. Lu, D. Yang, J. Liang, G. Xie, X. Li, C. Xu, H. Liao, H. Zhou, Z. Xu, C. Ye, H. Chen, M. Liang, Q. Shen, T. Sun, Y. Hu, W. Zhang and Y. Ning
- A review on current advances in machine learning based diabetes prediction 435
 V. Jaiswal, A. Negi and T. Pal
- Long-term outcomes of lifestyle intervention to prevent type 2 diabetes in people at high risk in primary health care 444
 R. Rintamäki, N. Rautio, M. Peltonen, J. Jokelainen, S. Keinänen-Kiukaanniemi, H. Oksa, T. Saaristo, H. Puolijoki, J. Saltevo, J. Tuomilehto, M. Uusitupa and L. Moilanen
- The effect of education given to type 2 diabetic individuals on diabetes self-management and self-efficacy: Randomized controlled trial 451
 N. Eroglu and N. Sabuncu
- Remote patient monitoring sustains reductions of hemoglobin A1c in underserved patients to 12 months 459
 E.B. Kirkland, J. Marsden, J. Zhang, S.O. Schumann, J. Bian, P. Mauldin and W.P. Moran
- Effectiveness of Patient-Centre Medical Home model on diabetes and other clinically relevant outcomes among primary care patients diagnosed with type-2 diabetes in Sydney, Australia 464
 J.R. John, W.K. Tannous and A. Jones
- Warning signals of elevated prediabetes prevalence in the modern Iranian urban population 472
 S. Barati, P. Sadeghipour, Z. Ghaemmaghami, B. Mohebbi, M. Baay, M.J. Alemzadeh-Ansari, Z. Hosseini, Y. Karimi, M. Malek, M. Maleki, F. Noohi, Y. Khalili, A. Alizadehasl, N. Naderi, M. Arabian, H. Pouraliakbar, S. Khaleghparast, B. Ghadrdoost, S. Boudagh and H. Bakhshandeh
- Nationwide prevalence and clinical characteristics of inpatient diabetic foot complications: A Peruvian multicenter study 480
 M. Yovera-Aldana, S. Sáenz-Bustamante, Y. Quispe-Landeo, R. Agüero-Zamora, J. Salcedo, C. Sarria, N. Gonzales-Grandez, M. Briceño-Alvarado, A. Antezana-Román, H. Manrique and D.G. Armstrong

Diabetes care quality according to facility setting: A cross-sectional analysis in six Peruvian regions J.R. Calderon-Ticona, A. Taype-Rondan, G. Villamonte, L.M. Labán-Seminario, L.M. Helguero-Santín, J.J. Miranda and M. Lazo-Porras	488
Variation between general practitioners in type 2 diabetes processes of care K. Nøkleby, T.J. Berg, I. Mdala, A.T. Tran, Å. Bakke, B. Gjelsvik, T. Claudi, J.G. Cooper, K.F. Løvaas, G. Thue, S. Sandberg and A.K. Jenum	495
Seasonal variations in HbA1c among type 2 diabetes patients on a semi-arid climate between the years 2005–2015 A. Raphael, M. Friger and A. Biderman	502
Integrated quality assessment for diabetes care in Portuguese primary health care using prevention quality indicators A. Ramalho, P. Castro, M. Lobo, J. Souza, P. Santos and A. Freitas	507
Referral rates of patients with diabetes to secondary care are inversely related to the prevalence of diabetes in each primary care practice and confidence in treatment, not to HbA1c level Q.Z. Siah, N.H. Ubeysekara, P.N. Taylor, S.J. Davies, F.S. Wong, C.M. Dayan and M.A. Ali	513
The significant interaction between age and diabetes mellitus for colorectal cancer: Evidence from NHANES data 1999–2016 F. Yang, H. Liang, R.J. Rosenthal and S.D. Wexner	518
Burning sensation in the feet and glycosylated haemoglobin levels in Swedish- and non-Swedish-born primary healthcare patients M. Taloyan, S. Momtaz, K. Steiner, C.-G. Östenson and H. Salminen	522
Microvascular and macrovascular complications in type 2 diabetes in a multi-ethnic population based in Amsterdam. The HELIUS study G.D. Armengol, C.F. Hayfron-Benjamin, B.-J.H. van den Born, H. Galenkamp and C. Agyemang	528
Incidence of antiepileptic drug therapy and factors associated with their prescribing in outpatients with diabetic polyneuropathy L. Jacob, M. Kaiser and K. Kostev	535
Relationship between uric acid and lipid accumulation product index by gender in Korean adults: The 2016 Korean National Health and Nutrition Examination Survey J.M. Seong, C.E. Park, M.Y. Gi, J.A. Cha, E.Y. Jung, J.H. Lee, H.H. Sung, S.B. Yang, B. Lee, J.H. Lim and H. Yoon	541
Micro-controlled thermal stimulator for detecting fine fiber changes in patients with diabetes mellitus: a diagnostic accuracy study J.C. Paixão, F.R. de Oliveira, N.S. Guimarães, J.A.N. Machado and M.R.C.P. de Souza	548
Knowledge of ocular complications of diabetes in community-based people with type 2 diabetes: The Fremantle Diabetes Study II J.J. Drinkwater, F.K. Chen, W.A. Davis and T.M.E. Davis	554
Glucose regulation and pain in older people—The Helsinki Birth Cohort Study M.J. Åström, M.B. von Bonsdorff, M. Haanpää, M.K. Salonen, H. Kautiainen and J.G. Eriksson	561
Relationship between diabetic retinopathy microalbuminuria and other modifiable risk factors S. Chawla, S. Trehan, A. Chawla, S. Jaggi, R. Chawla, V. Kumar and D. Singh	567
Association of health literacy and other risk factors with glycemic control among patients with type 2 diabetes in Kuwait: A cross-sectional study S.H. Hussein, A.N. Albatineh, A. Almajran and A.H. Ziyab	571

Evaluation of the metformin initiation rate in veterans with newly identified type 2 diabetes <i>K.J. Zenti, M.M. Meyer, N.V. Waterbury and J.A. Egge</i>	578
Neck circumference and metabolic syndrome: A cross-sectional population-based study <i>H. Ebrahimi, P. Mahmoudi, F. Zamani and S. Moradi</i>	582
Evaluation of clinical and antidiabetic treatment characteristics of different sub-groups of patients with type 2 diabetes: Data from a Mediterranean population database <i>M. Mata-Cases, J. Franch-Nadal, J. Real, B. Vlachos, A. Gómez-García and D. Mauricio</i>	588
Progression of pregnancy induced diabetes mellitus to type two diabetes mellitus, an ambidirectional cohort study <i>B.E. Feleke, T.E. Feleke, M.B. Kassahun, W.G. Adane, D. Acheneffe, A. Genetu, A.A. Nigussie and H.A. Engedaw</i>	596
 <i>Brief reports</i>	
A cost comparison of an enhanced primary care diabetes service and standard care <i>S. Seidu, C. Gillies, A. Farooqi, H. Trivedi, T. Than, E. Brady, M.J. Davies and K. Khunti</i>	601
Variables associated with insulin production in persons with type 2 diabetes treated with multiple daily insulin injections <i>K. Westman, H. Imberg, H. Albrektsson, I.B. Hirsch, J. Tuomilehto, S. Dahlqvist and M. Lind</i>	607
Basic types of the first-day glycemia in acute myocardial infarction: Prognostic, diagnostic, threshold and target glycemia <i>G. Koracevic and M. Djordjevic</i>	614
 <i>Commentary</i>	
Overcoming psychological insulin resistance: A practical guide for healthcare professionals <i>F.J. Snoek, L. Fisher, W.H. Polonsky, H. Stuckey, D. Hessler, T. Tang, N. Hermanns, X. Mundet, M. Silva, J. Sturt, K. Okazaki, I. Hadjiyianni, U. Desai and M. Perez-Nieves</i>	619
 <i>Letter to the Editor</i>	
1 h post-load plasma glucose: Should it be re-examined as a diagnostic criterion of diabetes? <i>D.S. Popovic and N. Papanas</i>	622
 <i>Corrigendum</i>	
Corrigendum to “Comparison of glucagons like peptide-1 receptor agonists and dipeptidyl peptide-4 inhibitors regarding cardiovascular safety and mortality in type 2 diabetes mellitus: A network meta-analysis” [Prim. Care Diabetes 15 (April (2)) (2021) 227–233] <i>J. Hu and L. Chen</i>	623
 <i>Colophon</i>	
Primary Care Diabetes Europe (PCDE): Colophon	624
 <i>Primary Care Diabetes Europe</i>	
Upcoming Events	626